

MAHARASHTRA NURSING COUNCIL, MUMBAI
EXAMINATION IN REVISED AUXILIARY NURSING AND MIDWIFERY
(FHW) (2) SECOND YEAR (NEW COURSE)

MIDWIFERY PAPER II

WEDNESDAY, 12TH JANUARY 2011

(TIME : 9-00 A.M. TO 12-00 NOON)

(TOTAL MARKS : 75)



-
1. The Candidate must write her seat number in **ENGLISH**.
 2. Please note that the question paper set in **ENGLISH** version is final for any doubt in **MARATHI** Paper.
-

Marks

1. (A) Choose the appropriate answer :— (05)
 - (a) Normal amount of amniotic fluid at term (40 weeks) is
 - (i) 1000 cc
 - (ii) 1500 cc
 - (iii) 800 cc
 - (iv) 500 cc.
 - (b) Sub Occipito bregmatic diameter of fetal skull is
 - (i) 10 cm
 - (ii) 11 cm
 - (iii) 9.5 cm
 - (iv) 11.5 cm.
 - (c) During pregnancy woman needs extra calories per day.
 - (i) 2,000 cal
 - (ii) 2,400 cal
 - (iii) 300 cal
 - (iv) 3,200 cal.
 - (d) The health status of new born can be assessed by
 - (i) Respiratory rate
 - (ii) Height
 - (iii) Birth Weight
 - (iv) Apgar score.
 - (e) Normal uterus is
 - (i) 65 gm
 - (ii) 60 gm
 - (iii) 70 gm
 - (iv) 75 gm.
- (B) State true or false :— (05)
 - (a) Breast milk should be given to new born within an hour of delivery.
 - (b) Posterior fontanelle closes at the age of 1 1/2 years.
 - (c) Bauder's ring is a sign of normal labour.
 - (d) Normal Female pelvis (Gynaecoid pelvis) forms 90° angle of pubic arch.
 - (e) Complete Breech is easy to deliver.

[Turn over

- (C) Match the following :— (05)
- | “A” Group | “B” Group |
|----------------------------------|-----------------------------|
| (a) Missed abortion | (1) Placenta succenturiata |
| (b) Umbilical Cord | (2) Schultze Method |
| (c) Intra uterine RBC production | (3) No. P. V. bleeding seen |
| (d) Supplementary lobe | (4) Oxygenated blood |
| (e) Separation of Placenta | (5) Fetal Liver. |
2. Write the definition (any five) :— (10)
- | | |
|-------------------------|------------------------|
| (a) Anterior Fontanella | (b) Moulding. |
| (c) Vernix. | (d) Normal Labour. |
| (e) Placenta Previa. | (f) Face Presentation. |
3. Write short notes (any four) :— (20)
- | | |
|-----------------------|-------------------------|
| (a) Fetal skull | (b) Menstruation |
| (c) Ectopic pregnancy | (d) Types of abortion |
| (e) Neonatal Jaundice | (f) Foetal circulation. |
4. 25 years of Radha has delivered two days back. Answer the following question :—
- | | |
|--|------|
| (a) Define puerperium. | (02) |
| (b) Write detail on involution of uterus. | (04) |
| (c) Define Lochia and write types of Lochia. | (04) |
| (d) How will you manage of Radha in Post natal period. | (05) |
5. Mrs. Sunita 30 years old primy para come to Antenatal Clinic ; on abdominal palpation you found increase abdominal girth than gestation period. Answer the following :—
- | | |
|---|------|
| (a) What is normal abdominal girth of full term ? | (01) |
| (b) In which cases it is more than normal ? | (03) |
| (c) How you will manage second stage of twins pregnancy ? | (05) |
| (d) Write the complications of twins pregnancy. | (06) |

OR

Mrs. Asha, second gravida with 29 weeks of pregnancy come to your subcentre with complaint of P. V. bleeding. Answer the following :—

- | | |
|---|------|
| (a) Define antepartum haemorrhage. | (01) |
| (b) Write the types of A. P. H. | (02) |
| (c) List the sign and symptoms of APH. | (04) |
| (d) How you will manage Antepartum Haemorrhage. | (04) |
| (e) Write the difference between placenta previa and abruptio placenta. | (04) |

महाराष्ट्र परिचर्या परिषद, मुंबई


सुधारित ऑक्सिलरी नर्सिंग आणि मिडवायफरी परीक्षा
(एफएचडब्ल्यू) द्वितीय वर्ष (नवीन अभ्यासक्रम)

मिडवायफरी - पेपर १

बुधवार, दिनांक १२ जानेवारी २०११

(वेळ : सकाळी ९-०० ते दुपारी १२-०० वाजेपर्यंत)

(एकूण गुण : ७५)



१. उमेदवाराने तिचा आसन क्रमांक इंग्रजीमध्ये लिहावा.
२. मराठी भाषेतील भाषांतरातील अडचणीसाठी इंग्रजी भाषेतील प्रश्नपत्रिका अंतिम राहिल.

गुण

१. (अ) योग्य पर्याय निवडून वाक्य पूर्ण करा :- ५
 - (१) पूर्णमासी गरोदरपणात गर्भोदकाचे प्रमाण असते.

(अ) १००० मिलि.	(ब) १५०० मिलि.
(क) ८०० मिलि.	(ड) ५०० मिलि.
 - (२) गर्भमस्तकाचा सबऑक्सिपिटो ब्रेग्मॅटीक डायामिटर असतो.

(अ) १० सें. मी.	(ब) ११ सें. मी.
(क) ९.५ सें. मी.	(ड) ११.५ सें. मी.
 - (३) गरोदरपणात मातेला दररोज इतक्या जास्त उष्मांकाची गरज असते.

(अ) २,००० उष्मांक	(ब) २,४०० उष्मांक
(क) ३०० उष्मांक	(ड) ३,२०० उष्मांक.
 - (४) नवजात शिशुच्या आरोग्य स्थितीची पाहणी ने करतात.

(अ) श्वसनाचा वेग	(ब) उंची
(क) जन्माच्या वेळेचे वजन	(ड) अपगार स्कोर.
 - (५) स्वाभाविकपणे गर्भशयाचे वजन असते.

(अ) ६५ ग्रॅम	(ब) ६० ग्रॅम
(क) ७० ग्रॅम	(ड) ७५ ग्रॅम.
- (ब) खालील विधाने चूक की बरोबर ते लिहा :- ५
 - (१) प्रसूतीनंतर एका तासाच्या आत नवजात बालकास मातेने स्तनपान द्यायला हवे.
 - (२) बालकाची मागील टाळू दिड वर्षात भरते.
 - (३) बॅन्डल्स रिंग हे स्वभाविक प्रसूतीचे लक्षण आहे.
 - (४) गायनॅकॉइड पेल्विसमध्ये प्युबिक आर्चचा सुमारे ९०° अंशाचा कोन असतो.
 - (५) कॅप्लीट ब्रीचमध्ये प्रसूती करणे सोपे जाते.

- गुण
०५
- (क) योग्य जोड्या जुळवा :—
- | “अ” गट | “ब” गट |
|-------------------------------------|-------------------------------------|
| (१) मिरंड अर्बोशन | (अ) प्लसेंटा सक्सेंच्युरिएटा |
| (२) नाळ | (ब) शुल्स मेथड |
| (३) गर्भाच्या लाल रक्तपेशी निर्मिती | (क) योनिमार्गात रक्तस्त्राव न दिसणे |
| (४) जास्तीचा वेगळा लोब असलेला जराऊ | (ड) शुद्ध रक्त |
| (५) जरायु वेगळा करणे | (ई) गर्भाचे यकृत |
२. व्याख्या लिहा (कोणत्याही पाच) :—
- | | | |
|--------------------------|-----------------------|----|
| (अ) पुढची टाळू | (ब) मोल्डींग | १० |
| (क) व्हर्निक्स | (ड) स्वाभाविक प्रसूती | |
| (ई) जरायु (Previa) दर्शन | (फ) मुख दर्शन. | |
३. टिपा लिहा (कोणत्याही चार) :—
- | | | |
|--------------------------------|------------------------|----|
| (अ) गर्भमस्तक | (ब) मासिक पाळी | २० |
| (क) गर्भाशया बाहेरची गर्भधारणा | (ड) गर्भपाताचे प्रकार. | |
| (ई) नवजात बालकातील कावीळ | (फ) गर्भरक्त परिभ्रमण. | |
४. २५ वर्षांची सौ. राधा दोन दिवसांपूर्वी प्रसूत झाली आहे. खालील प्रश्नांची उत्तरे लिहा :-
- | | |
|--|----|
| (अ) सुतिकावस्थेची व्याख्या लिहा. | ०२ |
| (ब) गर्भाशयाच्या लघुभवन क्रियेबाबत सविस्तर लिहा. | ०४ |
| (क) लोफियाची व्याख्या लिहून प्रकार लिहा. | ०४ |
| (ड) सौ. राधाची सुतिकावस्थेत कशी काळजी घ्याल. | ०५ |
५. ३० वर्षांची सौ. सुनिता प्रसूतिपूर्व जतन केंद्रात आली असता, पोटाच्या तपासणीमध्ये, गरोदर काळाच्या मानाने पोटाचा घेर फार जास्त आढळला यावर आधारित खालील प्रश्नांची उत्तरे लिहा :—
- | | |
|--|----|
| (अ) गरोदरपणाच्या शेवटच्या आठवड्यात पोटाचा स्वाभाविक घेर किती असतो ? | ०१ |
| (ब) गरोदरपणात कोणकोणत्या कारणांमुळे पोटाचा घेर स्वाभाविकतेपेक्षा जास्त आढळतो ? | ०३ |
| (क) सौ. सुनिताच्या जुळ्या गर्भधारणेची, प्रसूतिची दुसरी अवस्था कशी मॅनेज कराल ? | ०५ |
| (ड) जुळ्या गर्भधारणेचे विपरित परिणाम लिहा. | ०६ |

किंवा

दुसऱ्या खेपेची सौ. आशाला २९व्या आठवड्यात रक्तस्त्राव सुरू झाला म्हणून ती आपल्या उप केंद्रात आली आहे. खालील प्रश्नांची उत्तरे लिहा :—

- | | |
|--|----|
| (अ) प्रसवपूर्व रक्तस्त्रावाची व्याख्या लिहा. | ०१ |
| (ब) प्रसवपूर्व रक्तस्त्रावाचे प्रकार लिहा. | ०२ |
| (क) प्रसवपूर्व रक्तस्त्रावाची चिन्ह-लक्षणे लिहा. | ०४ |
| (ड) सौ. आशाच्या प्रसवपूर्व रक्तस्त्रावाचे व्यवस्थापन लिहा. | ०४ |
| (ई) जरायु दर्शन व आकस्मित रक्तस्त्राव यातील फरक लिहा. | ०४ |