

MAHARASHTRA NURSING COUNCIL, MUMBAI

EXAMINATION IN REVISED AUXILIARY NURSING AND MIDWIFERY SECOND YEAR (F.H.W.) (NEW COURSE)

MIDWIFERY - PAPER - II

WEDNESDAY, 23rd JANUARY 2013

(TIME : 9-00 A.M. TO 12-00 NOON)

(TOTAL MARKS : 75)



1. The Candidate must write her / his Seat Number in **ENGLISH**.
2. Please note that the question paper set in **ENGLISH** version is final for any doubt in **MARATHI** Paper.

- | | Marks |
|---|-----------------------|
| 1. (A) Choose the appropriate answer from the following :— | (05) |
| (1) The middle membrane of the uterus is known as..... | |
| (a) Perimetrium | (b) Myometrium |
| (c) Endometrium | (d) Decidua. |
| (2) The Dose of Inj. T.T. is | |
| (a) 0.1 ml. | (b) 0.05 ml. |
| (c) 0.5 ml. | (d) 0.01 ml. |
| (3) Braxton Hicks is a type of | |
| (a) Retraction | (b) Contraction |
| (c) Abnormal | (d) Relaxation. |
| (4) In face presentation is a denominator. | |
| (a) Occiput | (b) Sacrum |
| (c) Mentum | (d) Acromion process. |
| (5) After the start of true labour pains the first two stages which take 20 to 24 hrs. are called | |
| (a) Obstructed Labour | (b) Prolong Labour |
| (c) Precipitate Labour | (d) Normal Labour. |
| (B) State True or False :— | (05) |
| (1) It is necessary for the ANM to complete 100% Immunisation. | |
| (2) The suture between two Parietal bones and occipital bones is called coronal suture. | |
| (3) The Inner Membrane of Foetal Sac is known as Chorion. | |
| (4) The normal Placenta Expelled after 5 to 15 min. | |
| (5) Oral Pills is given to Lactating Mother. | |
| (C) Match the following :— | (05) |
| ‘A’ Group | ‘B’ Group |
| (1) Testis | (a) Progesteron |
| (2) Corpus Luteum | (b) 18 months |
| (3) Anti-D | (c) Oestrogen |
| (4) Anterior Fontanell | (d) Rh-ve Mother |
| (5) Jaundic in new born (Normal) | (e) Sun light. |

2. Write the definition (any **five**) :— (10)

- (a) Ante partum Haemorrhage (b) Abortion
 (c) Normal Puerperium (d) Maternal Mortality Rate
 (e) Ectopic Pregnancy (f) Lochia.

3. Write short notes (any **four**) :— (20)

- (a) High Risk Mother
 (b) Episiotomy
 (c) Anaemia in Pregnancy
 (d) Puerperial sepsis
 (e) Functions of Placenta.

4. 25 years Old Mrs. Neha is a Primi Gravida came to your hospital for delivery.

Answer the following questions :—

- (a) Define normal Labour. (02)
 (b) Write the stages of Labour. (04)
 (c) Write the changes during first stage of Labour. (04)
 (d) Write the management of second stage of Labour. (05)

5. Mrs. Ankita, 30 years old, Primi gravida is 28 weeks pregnant, her Blood Pressure is 160/90 mm of Hg and swelling on both the feet, urine albuming is trace and she is diagnosed as Eclmpsia.

Answer the following questions :—

- (a) Define Eclmpsia. (02)
 (b) Write signs and symptoms of Eclmpsia. (04)
 (c) Write the medical and nursing management of Mrs. Ankita. (06)
 (d) What Health Education will be given to the Mrs. Ankita and her relatives regarding care of Mrs. Ankita? (03)

OR

Smt. Sayali, 34 years old third Gravida is admitted in Labour Ward and delivered normally but suddenly she had severe vaginal bleeding.

Answer the following questions :—

- (a) Define Post Partum Haemorrhage. (02)
 (b) Write types and causes of P.P.H. (04)
 (c) Write Signs and Symptoms of P.P.H. (04)
 (d) How will you manage such cases at Primary Health Centre? (05)

महाराष्ट्र परिचर्या परिषद, मुंबई

सुधारित ऑक्झीलिअरी नर्सिंग आणि मिडवायफरी (एफएचडब्ल्यू)

द्वितीय वर्ष (नवीन अभ्यासक्रम)

मिडवायफरी - पेपर २

बुधवार, दिनांक २३ जानेवारी २०१३

(वेळ : सकाळी ९-०० ते दुपारी १२-००)

(एकूण गुण : ७५)



१. उमेदवाराने तिचा / त्याचा आसन क्रमांक इंग्रजीमध्ये लिहावा.

२. मराठी भाषेतील भाषांतरातील अडचणीसाठी इंग्रजी भाषेतील प्रश्नपत्रिका अंतिम राहिल.

- गुण
(०५)
१. (अ) योग्य पर्याय निवडून वाक्य पूर्ण करा :—
- (१) गर्भाशयाच्या मधल्या आवरणाला असे म्हणतात.
 (अ) पेरीमेट्रीयम (ब) मायोमेट्रीयम
 (क) एन्डोमेट्रीयम (ड) डेसीड्युआ.
- (२) Inj. T. T. ची मात्रा असते.
 (अ) ०.१ मिली. (ब) ०.०५ मिली.
 (क) ०.५ मिली. (ड) ०.०१ मिली.
- (३) Braxton Hicks चा प्रकार आहे.
 (अ) रिट्रॅक्शन (ब) कॉन्ट्रॅक्शन
 (क) अस्वाभाविकता (ड) रिलॅक्सेशन.
- (४) फेस प्रेझेंटेशनमध्ये हा डिनॉमिनेटर असतो.
 (अ) ऑक्सीपूट (ब) सेक्रम
 (क) मेंटम (ड) अॅक्रोमिऑन प्रोसेस.
- (५) खऱ्या प्रसववेदना सुरु झाल्यापासून पहिल्या दोन अवस्थांना २० ते २४ तास लागतात. त्यास असे म्हणतात.
 (अ) रूद्रप्रसूती (ब) दिर्घप्रसूती
 (क) शीघ्रप्रसूती (ड) स्वाभाविक प्रसूती.

(ब) खालील विधाने चूक की बरोबर ते लिहा :— (०५)

- (१) ए.एन.एम. ने १०० टक्के लसीकरण पूर्ण करणे आवश्यक आहे.
 (२) दोन परायटल बोन्स आणि आक्सीपूट बोनमधील सूचरला कोरोनल सूचर असे म्हणतात.
 (३) गर्भाच्या पिशवीचे आतील आवरणाला कोरीऑन असे म्हणतात.
 (४) स्वाभाविक प्लासेंटा ५ ते १५ मिनिटांत सुटतो.
 (५) स्तनद्रा मातेला गर्भनिरोधक गोळ्या तोंडाने देतात.

(क) योग्य जोड्या लावा :— (०५)

- | ‘ अ ’ गट | ‘ ब ’ गट |
|------------------------------------|-------------------|
| (१) टेस्टीस | (अ) प्रोजेस्टेरोन |
| (२) कॉर्पस ल्युटीयम | (ब) १८ महिने |
| (३) Anti D. | (क) इस्ट्रोजेन |
| (४) पुढील टाळू (Anterior Fontanel) | (ड) Rh-ve माता |
| (५) नवजात बालकातील स्वाभाविक कावीळ | (इ) सूर्यप्रकाश |

२. व्याख्या लिहा (कोणत्याही पाच) :— (१०)
- (अ) A.P.H. प्रसूतीपूर्व रक्तस्त्राव (ब) गर्भपात
(क) स्वाभाविक सूतिकावस्था (ड) मात मृत्यू दर
(इ) एकटोपीक प्रेग्नसी (फ) लोकीया.
३. टिपा लिहा (कोणत्याही चार) :— (२०)
- (अ) अति जोखमीची माता
(ब) इपिझिऑटॉमी
(क) गरोदरपणातील रक्तक्षय
(ड) प्यूरपेरल सेप्सीस
(इ) जरायूची कार्ये.
४. सौ. नेहा २५ वर्षांची प्रथम खेपेची असून प्रसूतीसाठी प्रसूती कक्षात दाखल झाली आहे. खालील प्रश्नांची उत्तरे लिहा :—
- (अ) स्वाभाविक प्रसूतीची व्याख्या लिहा. (०२)
(ब) प्रसूतीच्या अवस्था लिहा. (०४)
(क) पहिल्या अवस्थेतील बदल लिहा. (०४)
(ड) दुसऱ्या अवस्थेतील व्यवस्थापन लिहा. (०५)
५. सौ. अंकिता ३० वर्षांच्या प्रथम प्रसवा असून २८ आठवड्यांच्या गरोदर असून त्यांचा रक्तदाब 160/90 mm of Hg इतका आहे. त्यांच्या दोन्ही पायांवर सूज आहे. लघवीत Albumin चे अत्यल्प प्रमाण आहे. मातेचे संगर्भास्मार असे त्यांचे रोगनिदान केले आहे.
- खालील प्रश्नांची उत्तरे लिहा :—
- (अ) संगर्भास्माराची व्याख्या लिहा. (०२)
(ब) संगर्भास्माराची चिन्हे व लक्षणे लिहा. (०४)
(क) सौ. अंकिताची वैद्यकीय व परिचर्या व्यवस्थापन कसे कराल ? (०६)
(ड) सौ. अंकिताला व त्यांच्या नातेवाईकांना काय आरोग्य शिक्षण द्याल ? (०३)

किंवा

सौ. सायली, ३४ वर्ष वयाची तिसऱ्या खेपेची स्त्री बाळंतपणासाठी प्रसूती कक्षात दाखल झाली आहे. तिची स्वाभाविक प्रसूती झाल्यानंतर अचानक तिला योनीमार्गे रक्तस्त्राव सुरु झाला आहे.

खालील प्रश्नांची उत्तरे लिहा :—

- (अ) प्रसूती पश्चात रक्तस्त्रावाची व्याख्या लिहा. (०२)
(ब) प्रसूती पश्चात रक्तस्त्रावाचे प्रकार व कारणे लिहा. (०४)
(क) प्रसूती पश्चात रक्तस्त्रावाची चिन्हे व लक्षणे लिहा. (०४)
(ड) अशा स्त्रीचे प्राथमिक आरोग्य केंद्रात कसे व्यवस्थापन कराल ? (०५)